

<b>Dry Container</b>						
	<b>Interior Dimension</b>			<b>Door Opening</b>		<b>Capacity</b>
	<b>Length</b>	<b>Width</b>	<b>Height</b>	<b>Width</b>	<b>Height</b>	
<b>20 ft</b>	<b>5897 mm</b>	<b>2348 mm</b>	<b>2385 mm</b>	<b>2337 mm</b>	<b>2272 mm</b>	<b>33.0 cbm</b>
	OTHER DATA: Cargo Loadable: / - Max Payload: 21710 kg - Container Weight: 2290kg Max.Gross.Weight: 24000 kg					
<b>40 ft</b>	<b>12031 mm</b>	<b>2348 mm</b>	<b>2385 mm</b>	<b>2337 mm</b>	<b>2272 mm</b>	<b>67.4 cbm</b>
	OTHER DATA: Cargo Loadable: / - Max Payload: 21710 kg - Container Weight: 3770 kg Max.Gross.Weight: 30480 kg					

<b>Dry Container - Alum</b>						
	<b>Interior Dimension</b>			<b>Door Opening</b>		<b>Capacity</b>
	<b>Length</b>	<b>Width</b>	<b>Height</b>	<b>Width</b>	<b>Height</b>	
<b>Alum 40 ft</b>	<b>12031 mm</b>	<b>2344 mm</b>	<b>2385 mm</b>	<b>2337 mm</b>	<b>2280 mm</b>	<b>67.3 cbm</b>
	OTHER DATA: Cargo Loadable: / - Max Payload: 27530 kg - Container Weight: 2950kg Max.Gross.Weight: 30480 kg					

<b>Dry Container - H/C</b>						
	<b>Interior Dimension</b>			<b>Door Opening</b>		<b>Capacity</b>
	<b>Length</b>	<b>Width</b>	<b>Height</b>	<b>Width</b>	<b>Height</b>	
<b>H/C 40 ft</b>	<b>12031 mm</b>	<b>2348 mm</b>	<b>2690 mm</b>	<b>2337 mm</b>	<b>2577 mm</b>	<b>76.0 cbm</b>
	OTHER DATA: Cargo Loadable: / - Max Payload: 26490 kg - Container Weight: 3990kg Max.Gross.Weight: 30480 kg					

<b>Steel Reefer Container</b>						
	<b>Interior Dimension</b>			<b>Door Opening</b>		<b>Capacity</b>
	<b>Length</b>	<b>Width</b>	<b>Height</b>	<b>Width</b>	<b>Height</b>	
<b>20 ft</b>	<b>5455 mm</b>	<b>2290 mm</b>	<b>2262 mm</b>	<b>2290 mm</b>	<b>2227 mm</b>	<b>28.3 cbm</b>
	<b>OTHER DATA:</b> Cargo Loadable: 26.4 cbm - Max Payload: 21040 kg - Container Weight: 2960kg Max.Gross.Weight: 24000 kg					

<b>Steel Reefer Container - Alum</b>						
	<b>Interior Dimension</b>			<b>Door Opening</b>		<b>Capacity</b>
	<b>Length</b>	<b>Width</b>	<b>Height</b>	<b>Width</b>	<b>Height</b>	
<b>40 ft</b>	<b>11583 mm</b>	<b>2290 mm</b>	<b>2238 mm</b>	<b>2290 mm</b>	<b>2491 mm</b>	<b>67.0 cbm</b>
	<b>OTHER DATA:</b> Cargo Loadable: 64.3 cbm - Max Payload: 28340 kg - Container Weight: 4160 kg Max.Gross.Weight: 32500 kg					

<b>Steel Reefer Container - H/C</b>						
	<b>Interior Dimension</b>			<b>Door Opening</b>		<b>Capacity</b>
	<b>Length</b>	<b>Width</b>	<b>Height</b>	<b>Width</b>	<b>Height</b>	
<b>40 ft</b>	<b>11583 mm</b>	<b>2290 mm</b>	<b>2527 mm</b>	<b>2290 mm</b>	<b>2508 mm</b>	<b>67.3 cbm</b>
	<b>OTHER DATA:</b> Cargo Loadable: 63.3 cbm - Max Payload: 27700 kg - Container Weight: 4800kg Max.Gross.Weight: 32500 kg					

<b>Open Top Container</b>						
	<b>Interior Dimension</b>			<b>Door Opening</b>		<b>Capacity</b>
	<b>Length</b>	<b>Width</b>	<b>Height</b>	<b>Width</b>	<b>Height</b>	
<b>20 ft</b>	<b>5898 mm</b>	<b>2346 mm</b>	<b>2354 mm</b>	<b>2338 mm</b>	<b>2244 mm</b>	<b>32.6 cbm</b>
	OTHER DATA: Cargo Loadable: / - Max Payload: 21550 kg - Container Weight: 2450kg Max.Gross.Weight: 24000 kg					
<b>40 ft</b>	<b>12022 mm</b>	<b>2346 mm</b>	<b>23851 mm</b>	<b>2337 mm</b>	<b>2244 mm</b>	<b>66.4 cbm</b>
	OTHER DATA: Cargo Loadable: / - Max Payload: 26460 kg - Container Weight: 4020 kg Max.Gross.Weight: 30480 kg					

<b>Flat Rack Container</b>						
	<b>Interior Dimension</b>			<b>Door Opening</b>		<b>Capacity</b>
	<b>Length</b>	<b>Width</b>	<b>Height</b>	<b>Width</b>	<b>Height</b>	
<b>20 ft</b>	<b>5958 mm</b>	<b>2236 mm</b>	<b>2077 mm</b>	<b>/</b>	<b>/</b>	<b>25.0 cbm</b>
	OTHER DATA: Cargo Loadable: / - Max Payload: 27760 kg - Container Weight: 2720 kg Max.Gross.Weight: 34000 kg					
<b>40 ft</b>	<b>11986 mm</b>	<b>2236 mm</b>	<b>1968 mm</b>	<b>/</b>	<b>/</b>	<b>52.7 cbm</b>
	OTHER DATA: Cargo Loadable: / - Max Payload: 39020 kg - Container Weight: 5980 kg Max.Gross.Weight: 45000 kg					